#### EOG Resources, Inc. P.O. 1910 Vernal, UT 84078

September 2, 2005

Utah Division of Oil, Gas, & Mining 1594 West North Temple, Suite 1210 P.O. Box 145801 Salt Lake City, UT 84114-5801

RE: APPLICATION FOR PERMIT TO DRILL NORTH CHAPITA 290-28
NE/NW, SEC. 28, T8S, R22E
UINTAH COUNTY, UTAH
LEASE NO.: U-459
UTE INDIAN TRIBAL LANDS

Enclosed please find a copy of the Application for Permit to Drill and associated attachments for the referenced well.

Please address further communication regarding this matter (including approval) to:

Ed Trotter P.O. Box 1910 Vernal, UT 84078 Phone: (435)789-4120

Fax: (435)789-1420

Sincerely,

Ed Trotter Agent

EOG Resources, Inc.

Attachments

RECEIVED SEP 1 3 2005

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL OR REENTER

FORM APPROVED OMB No. 1004-0137 Expires March 31, 2007

5. Lease Serial No.


I	_959
v	-/3/

6. If Indian, Allottee or Tribe Name UTE INDIAN TRIBE

1a. Type of Work: X DRILL	REENTER	7. If Unit	or CA Agree	ement, Name and No.
1b. Type of Well: Oil Well X Gas Well Oth	ner Single Zone X Multiple Zone	1	lame and W	ell No. APITA 290-28
2. Name of Operator EOG RESOURCES, INC.		9. API We		17-37 33
3a. Address P.O. BOX 1815 VERNAL, UT 84078	3b. Phone No. (Include area code) (435)789-0790	10. Field and	Pool, or Ex	
At surface 468' FNL, 2022' FWL At proposed prod. Zone	ance with any State requirements.*) 32406 X 40.180567 NE/NW 4398657 -109.446637			lk. and Survey or Area , R22E,  1.
14. Distance in miles and direction from nearest town or pos 33.2 MILES SOUTHEAST OF VE		12. County or UIN	ГАН	13. State UTAH
15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. Unit line, if any)	16. No. of Acres in lease 880	17. Spacing Unit	dedicated to	this well
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft. See Topo Map C	19. Proposed Depth 10,810	20. BLM/BIA Bor NM-230		le
21. Elevations (Show whether DF, KDB, RT, GL, etc.) 4975.6 FEET GRADED GROUND	22. Approximate date work will start* UPON APPROVAL	23.	Esti mated 45 DA	
Attachments The following, completed in accordance with the requi	24. Attachments rements of Onshore Oil and Gas Order No. 1, s	hall be attached to thi	s form:	
<ol> <li>Well plat certified by a registered surveyor.</li> <li>A Drilling Plan.</li> <li>A Surface Use Plan (if the location is on National For SUPO shall be filed with the appropriate Forest Serven</li> </ol>		ove). ion. cific information and/	-	_
25. Signature  Let Critter	Name (Printed/Typed) Ed Trotter			Date eptember 2, 2005
Title Agent			<del></del>	
Approved by (Signature)	Name (Printed/Typed) BRADLEY G. HIL ENVIRONMENTAL SCIENTIS		Date	RECEIVED SEP 1 3 2005
Title 09-19-05	Office		DIV.	OF OIL, GAS & MINING
Application approval does not warrant or certify that the application of conduct operations thereon.	licant holds legal or equitable title to those right	s in the subject lease	which would	d entitle the applicant to

Conditions of Approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



#### NORTH CHAPITA 290-28 NE/NW, SEC. 28, T8S, R22E, S.L.B.&M. UINTAH COUNTY, UTAH

#### 1. & 2. ESTIMATED TOPS & ANTICIPATED OIL, GAS, & WATER ZONES:

FORMATION	DEPTH (KB)
Green River	2,361,
Wasatch	5,580'
Chapita Wells	6,240'
Buck Canyon	6,918'
North Horn	7,154'
Island	8,058'
KMV Price River	8,706'
KMV Price River Middle	9,379'
KMV Price River Lower	10,218'
Sego	10,685

EST. TD: 10,810'

Anticipated BHP 4700 PSI

**3.** PRESSURE CONTROL EQUIPMENT: A 5M BOP will be used on the Production Hole only. (See attached BOP Diagram), Pressure Control Equipment will not be used on the Surface Hole.

#### 4. CASING PROGRAM:

		_					<b>MINIM</b>	<u>UM SAFET</u>	Y FACTOR
HOLE SIZ	E <u>INTERVAL</u>	<b>LENGTH</b>	SIZE	<b>WEIGHT</b>	<b>GRADE</b>	<b>THREAD</b>	COLLA	PSE BURS	<u>r tensile</u>
20"	0' - 45'+/- GL	45'+/-	13 %"	48.0 #	H-40	ST&C	770 PSI	1730 PSI	322,000#
12 1/4"	45' - 2300'+/- KB	2300' +/-	9 %"	36.0 #	J-55	ST&C ·	2020 PSI	3520 PSI	394,000#
7 7/8"	2300' – TD+/-KB	10,810'+/-	4 ½"	11.6#	P-110	LT&C	7560 PSI	10,710 PSI	284,000#

The 12 1/4" Intermediate hole will be drilled to a total depth of 300' below the base of the Green River lost circulation zone and 9 5/8" casing will be set to that depth. Actual setting depth of the 9 5/8" casing may be less than 2300' in this well.

All casing will be new or inspected.

#### 5. Float Equipment:

#### **CONDUCTOR HOLE PROCEDURE (0-45' Below GL):**

None

#### **SURFACE HOLE PROCEDURE (45'- ±2300'):**

Guide Shoe

Insert Float Collar (PDC drillable)

Cents.: 1-5' above shoe, top of its. #2 and #3 then every 5<sup>th</sup> joint to surface.

#### PRODUCTION HOLE PROCEDURE ±2300'-TD:

FS, 1 joint of casing, FC, and balance of casing to surface.

# NE/NW, SEC. 28, T8S, R22E, S.L.B.&M. UINTAH COUNTY, UTAH

#### 6. MUD PROGRAM

#### **CONDUCTOR HOLE PROCEDURE (0-45' Below GL):**

Dry or light mud as needed to support drilling by Bucket Rig.

#### **SURFACE HOLE PROCEDURE (45'- ±2300'):**

Air, Air Mist and Water (circulate through reserve pit) with Gel/LCM sweeps.

#### PRODUCTION HOLE PROCEDURE ±2300'-TD:

**Drilling Fluid:** 

DEPTH	MUD WT.	VIS	PV	YP	GELS	PH	FLUID LOSS	LGS	DAP
feet	ppg	sec	ср	lb/100ft <sup>2</sup>	@ 120°		ml	%	ppb
2,700' - 4,685'	8.4-8.5	28 -32	1 -3	0 -2	N/C	8.5-9.0	N/C	<2	N/C
4,685' - 8,910'	8.5-9.0	30 -34	2 -5	1 -2	N/C	8.5-9.5	<40	<3	N/C
8,910' - 10,325'	9.0-11.0	40 -44	8 -14	8 -12	<6/<20	9.0-9.5	10 -20	<6	N/C

#### 7. VARIANCE REQUESTS:

- A. EOG Resources, Inc. requests a variance to regulations requiring a straight run blooie line (Where possible, a straight run blooie line will be used).
- B. EOG Resources, Inc. requests a variance to regulations requiring an automatic ignitor or continuous pilot light on the blooie line. (Not required on aerated water system).
- C. EOG Resources, Inc. requests a variance to regulations requiring the blooie line to be 100' in length. To reduce location excavation, the blooie line will be 75' in length.

#### 8. EVALUATION PROGRAM:

Logs: No Open Hole Logs.

Cased Hole Logs will to run

#### NORTH CHAPITA 290-28 NE/NW, SEC. 28, T8S, R22E, S.L.B.&M. UINTAH COUNTY, UTAH

#### 9. CEMENT PROGRAM:

#### **CONDUCTOR HOLE PROCEDURE (0-45' Below GL):**

Cement to surface with Redi-Mix cement

#### **SURFACE HOLE PROCEDURE (45'-2300'+/-):**

#### Option #1: Well circulates or drills with air.

**Tail:** 500' of Class 'G' mixed at 15.8 ppg w/ 2% CaCl2 & 0.25 pps Flocele + 35% Excess or Type 5 Cement mixed at 15.6 ppg w/ 2% CaCl2 & 0.25 pps Flocele + 35% Excess.

**Lead:** Hi-Fill Cement mixed at 11 ppg with 16% Gel, 10#/sx Gilsonite, 3% salt, 3#/sx GR-3 and 0.25 #/sx Flocele plus 35% Excess to get cement returns to surface.

#### Option #2: Well does not circulate.

Class 'G' cement mixed at 15.8 ppg w/ 2% CaCl2 & 0.25 pps Flocele + 35% Excess or Type % 5 Cement mixed at 15.6 ppg w/ 2% CaCl2 & 0.25 pps Flocele + 35% Excess to 100' above the lost circulation zone and top out with same with 3-4% CaCl2 to get cement returns to surface.

#### PRODUCTION HOLE PROCEDURE 2300'-TD:

**Lead:** 500 sks 35:65 Poz G w/ 4% D20 (Bentonite), 2% D174 (Extender), 0.2% D65 (Dispersant), 0.2% D46 (Antifoam), 0.75% D112 (Fluid Loss Additive), 0.15% D13 (Retarder), 0.25 pps D29 (cello flakes), mixed at 13.0 ppg, 1.73 cu. ft./sk., 9.06 gps water

**Tail:** 1700 sks: 50:50 Poz G w/ 2% D20 (Bentonite), 0.1% D46 (Antifoam), 0.15% D13 (Retarder), 0.2% D167 (Fluid Loss Additive), 0.2% D65 (Dispersant), mixed at 14.1 ppg, 1.28 cu. ft./sk., 5.9 gps water.

#### 10. ABNORMAL CONDITIONS:

#### **SURFACE HOLE (45'-2300')**

Potential Problems: Lost circulation below 1800' and minor amounts of gas may be present.

#### PRODUCTION HOLE 2300'-TD

Potential Problems: Sloughing shales and key seat development are possible in the Wasatch

Formation. CO<sub>2</sub> contamination in the mud is possible in the Price River (Mesa

Verde).

#### NORTH CHAPITA 290-28 NE/NW, SEC. 28, T8S, R22E, S.L.B.&M. UINTAH COUNTY, UTAH

#### 11. STANDARD REQUIRED EQUIPMENT:

- A. Choke Manifold
- B. Kelly Cock
- C. Stabbing Valve
- D. Visual Mud Monitoring

#### 12. <u>HAZARDOUS CHEMICALS:</u>

No chemicals subject to reporting under SARA title III in an amount equal to or greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling of this well. Furthermore, no extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will be used, produced, stored, transported, or disposed of in association with the drilling of this well.

(Attachment: BOP Schematic Diagram)

#### **5000 PSIG DIAGRAM**

ANNULAR PREVENTOR AND BOTH RAMS ARE 5000 PSIG RATED CASING FLANGE IS 11" 5000 PSIG RATED. **ROTATING HEAD** BOPE 11" 5000 PSIG TESTING PROCEDURE: FLOW LINE 1. BOPE's will be tested with a professional tester to conform to Onshore Order #2 with retest every 14 days. 2. Blind & Pipe rams will be tested to rated working pressure, 5000 psig. 3. Annular preventor will be tested to 50% of working pressure, 2500 psig. **ANNULAR** 4. Casing will be tested to 0.22 psi/ft. or 2500 psig. Not to exceed 70% of burst **PREVENTER** strength, whichever is greater. 5. All lines subject to well pressure will be pressure-tested to the same pressure as blind & pipe rams. 6. All BOPE specifications and configurations will meet Onshore Order #2 requirements for 5000 psig BOPE specifications. **BLIND OR PIPE RAMS CHOKE MANIFOLD** 2" MIN ADJUSTABLE CHOKE TO MUD/GAS SEPARATOR OR PIT **BLIND OR PIPE RAMS** 3" MINIMUM RATED **5000 PSIG** 2" KILL LINE 3" MINIMUM BLEED LINE TO PIT 3" DIAMETER **CASING** \FLANGE( 2" MINIMUM SPOOL 11" 5000 PSIG TO MUD/GAS SEPARATOR ADJUSTABLE CHOKE OR PIT (Note: Blind Rams may be installed above or below the pipe rams)

#### CONDITIONS OF APPROVAL FOR THE SURFACE USE PROGRAM OF THE APPLICATION FOR PERMIT TO DRILL

Company/Operator:

EOG Resources, Inc.

Well Name & Number: North Chapita 290-28

Lease Number:

U-059

Location:

468' FNL & 2022' FWL, NE/NW, Sec. 28,

T8S, R22E, S.L.B.&M., Uintah County

Surface Ownership:

Ute Indian Tribe

#### NOTIFICATION REQUIREMENTS

Location Construction - forty-eight (48) hours prior to construction

of location and access roads.

Location Completion - prior to moving on the drilling rig.

Spud Notice:

- at least twenty-four (24) hours prior to

spudding the well.

Casing String and

Cementing

- twenty-four (24) hours prior to running

casing and cementing all casing strings.

BOP and related

**Equipment Tests** 

- twenty-four (24) hours prior to running

casing and tests.

First Production

Notice

- within five (5) business days after new

Well begins or production resumes after Well has been off production for more

than ninety (90) days.

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

#### THIRTEEN POINT SURFACE USE PROGRAM

#### 1. EXISTING ROADS

- A. See attached Wellsite Plats showing directional reference stakes on location, and attached TOPO Map "B" showing access to location from existing roads.
- B. The proposed well site is located approximately 33.2 miles southeast of Vernal, Utah See attached TOPO Map "A".
- C. Refer to attached Topographic Map "A" showing labeled access route to location.
- D. Existing roads will be maintained and repaired as necessary. No off lease Right-of-Way will be required.

#### 2. PLANNED ACCESS ROAD

- A. The access road will be approximately 0.1 miles in length. See attached TOPO Map "B".
- B. The access road has a 30 foot ROW w/ 18 foot running surface.
- C. Maximum grade on access road will be 8%.
- D. No turnouts will be required.
- E. Road drainage crossings shall be of the typical dry creek drainage crossing type.
- F. No culverts, bridges, or major cuts and fills will be required.
- G. The access road will be dirt surface.
- H. No gates, cattleguards, or fences will be required or encountered.

New or reconstructed roads will be centerlined - flagged at time of location staking.

All travel will be confined to existing access road Right-of-Way.

Access roads and surface disturbing activities will conform to standards outlined in the Bureau of Land Management and Forest Service Publication: Surface Operating Standards For Oil & Gas Exploration and Development, (1989).

The road shall be upgraded to meet the standards of the anticipated traffic flow and all-weather road requirements. Upgrading shall include ditching, drainage, graveling, crowning, and capping the roadbed as necessary to provide a well-constructed safe road. Prior to upgrading, the road shall be cleared of any snow cover and allowed to dry completely. Traveling off the 30 foot Right-of-Way will not be allowed.

Road drainage crossings shall be of the typical dry creek drainage crossing type. Crossings shall be designed so they will not cause siltation or accumulation of debris in the drainage crossings nor shall the drainages be blocked by the roadbed. Erosion of

drainage ditches by run off water shall be prevented by diverting water off at frequent intervals by means of cutouts. Upgrading shall not be allowed during muddy conditions. Should mud holes develop, they shall be filled in and detours around them avoided.

As operator, EOG Resources, Inc. shall be responsible for all maintenance on cattleguards, or gates associated with this oil and/or gas operation.

## 3. <u>LOCATION OF EXISTING WELLS WITHIN A ONE MILE RADIUS OF PROPOSED WELL LOCATION</u>

- A. Abandoned wells 1\*
- B. Producing wells 2\*

  (\*See attached TOPO map "C" for location)

#### 4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES

#### A. ON WELL PAD

- 1. Production facilities will be set on location if the well is successfully completed for production. Facilities will consist of well head valves, separator, dehy, 210 Bbl condensate tank, meter house, and attached piping.
- 2. Gas gathering lines A 4" gathering line will be buried from dehy to the edge of the location.

#### B. OFF WELL PAD

- 1. Proposed location of attendant off pad flowlines shall be flagged prior to archaeological clearance.
- 2. A 4" OD steel above ground natural gas pipeline will be laid approximately 1311' from proposed location to a point in the NW/NE of Section 28, T8S, R22E, where it will tie into Questar Pipeline Co.'s existing line. Proposed pipeline crosses BIA administered lands, thus a Right-of-Way grant will be required.
- 3. Proposed pipeline will be a 4" OD steel, welded line laid on the surface.
- 4. Protective measures and devices for livestock and wildlife will be taken and/or installed where required.

If storage facilities/tank batteries are constructed on this lease, the facility/battery or the well pad shall be surrounded by a containment dike of sufficient capacity to contain, at a minimum, the entire contents of the largest tank within the facility/battery, unless more stringent protective requirements are deemed necessary by the authorized officer.

The production facilities will be placed on the Southwest side of the location.

All permanent (on site for six months or longer) structures constructed or installed (including pumping units) will be painted a flat, non-reflective, earthtone color to match one of the standard environmental colors, as determined by the Rocky Mountain Five State Interagency Committee. All facilities required will be painted within 6 months of installation. Facilities required to comply with O.S.H.A. (Occupational Safety and Health Act) will be excluded.

The required paint color is Carlsbad Canyon.

If at any time the facilities located on public land and authorized by the terms of the lease are no longer included in the lease (due to a construction in the unit or other lease or unit boundary change), the BIA will process a change in authorization to the appropriate rental or other financial obligation as determined by the authorized officer.

#### 5. LOCATION & TYPE OF WATER SUPPLY

- A. Water supply will be from the Ouray Brine Plant at Ouray, Utah, and/or Target Trucking Inc.'s water source in the SW/SW, Sec. 35, T9S, R22E, Uintah County, Utah (State Water Right #49-1501). Produced water from the Chapita Wells and Stagecoach Units will also be used.
- B. Water will be hauled by a licensed trucking company.
- C. No water well will be drilled on lease.

#### 6. SOURCE OF CONSTRUCTION MATERIAL

- A. All construction material for this location and access road will be of native borrow and soil accumulated during the construction of the location.
- B. All construction material will come from Tribal Land.
- C. No mineral materials will be required.

#### 7. METHODS OF HANDLING WASTE DISPOSAL

#### A. METHODS AND LOCATION

- 1. Cuttings will be confined in the reserve pit.
- 2. A portable toilet will be provided for human waste during the drilling and completion of the well. Disposal will be at the Vernal sewage disposal plant.
- 3. Burning will not be allowed. Trash and other waste material will be contained in a wire mesh cage and disposed of at the Uintah County landfill.
- 4. Produced wastewater will be confined to a lined pit or storage tank for a period not to exceed 90 days after initial production. After the 90

day period, the produced water will be contained in a tank on location and then disposed of at one of the following three locations: Natural Buttes Unit 21-20B SWD, Ace Disposal, or EOG Resources, Inc. drilling operations (Chapita Wells Unit, Natural Buttes Unit & Stagecoach Unit).

- 5. All chemicals will be disposed of at an authorized disposal site. Drip pans and absorbent pads will be used on the drilling rig to avoid leakage of oil to the pit.
- B. Water from drilling fluids and recovered during testing operations will be disposed of by either evaporating in the reserve pit or be removed and disposed of at an authorized disposal site. Introduction of well bore hydrocarbons to the reserve pit will be avoided by flaring them off in the flare pit at the time of recovery.

#### On BIA administered land:

The reserve pit will be constructed so as not to leak, break, or allow discharge. If the reserve pit requires padding prior to lining (due to rocky conditions) felt padding will be used.

The reserve pit shall be lined with a plastic liner. A felt liner will also be installed if rock is encountered during pit construction.

#### 8. ANCILLARY FACILITIES

A. No airstrips or camps are planned for this well.

#### 9. WELLSITE LAYOUT

- A. Refer to attached well site plat for related topography cuts and fills and cross sections.
- B. Refer to attached well site plat for rig layout and soil material stockpile location as approved on On-site.
- C. Refer to attached well site plat for rig orientation, parking areas, and access road.

The reserve pit will be located on the West side of the location. The flare pit will be located downwind of the prevailing wind direction on the Northwest side of the location, a minimum of 100 feet from the well head and 30 feet from the reserve pit fence.

The stockpiled topsoil will be stored Southwest of Corner #6.

Access to the well pad will be from the Northeast.

Corners #2 & #6 will be rounded off to minimize excavation.

#### **FENCING REQUIREMENTS:**

All pits will be fenced according to the following minimum standards:

- A. Thirty-nine inch net wire shall be used with at least one strand of barbed wire on top of the net wire. (Barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence).
- B. The net wire shall be no more than 2 inches above the ground. The barbed wire strand shall be 3 inches above the net wire. Total height of the fence shall be at least 42 inches.
- C. Corner posts shall be cemented and/or braced in such a manner as to keep the fence tight at all times.
- D. Standard steel, wood, or pipe posts shall be used between the corner braces. Maximum distance between any two posts shall be no greater than 16 feet.
- E. All wire shall be stretched by using a stretching device before it is attached to the corner posts.

The reserve pit fencing will be on the three sides during drilling operations and on the fourth side when the rig moves off the location. Pits will be fenced and maintained until cleanup.

Each existing fence to be crossed by the access road shall be braced and tied off before cutting so as to prevent slacking of the wire. The opening shall be closed temporarily as necessary during construction to prevent the escape of livestock, and, upon completion of construction, the fence shall be repaired to BIA or SMA specifications. A cattleguard with an adjacent 16-foot gate shall be installed in any fence where a road is to be regularly traveled. If the well is a producer, the cattleguards (shall/shall not) be permanently mounted on concrete bases. Prior to crossing any fence located on Tribal land, or any fence between Tribal land and private land, the operator will contact the BIA, who will in turn contact the grazing permittee or owner of said fence and offer him/her the opportunity to be present when the fence is cut in order to satisfy himself/herself that the fence is adequately braced and tied off.

#### 10. PLANS FOR RESTORATION OF SURFACE

#### A. PRODUCING LOCATION

Immediately upon well completion, the location and surrounding area will be cleared of all unused tubing, equipment, debris, materials, trash, and junk not required for production.

Immediately upon well completion, any hydrocarbons on the pit shall be removed in accordance with CFR 3162.7-1.

If a plastic nylon reinforced liner is used, it shall be torn and perforated before backfilling of the reserve pit.

The reserve pit and that portion of the location not needed for production facilities/operations will be recontoured to the approximate natural contours. The reserve pit will be reclaimed within 12 months from the date of well completion. Before any dirt work takes place, the reserve pit will be completely dry and all cans, barrels, pipe, fluid, and hydrocarbons, will be removed.

Contact appropriate surface management agency for required seed mixture.

#### B. <u>DRY HOLE/ABANDONED LOCATION</u>

At such time as the well is plugged and abandoned, the operator will submit a subsequent report of abandonment and the BIA will attach the appropriate surface rehabilitation conditions of approval.

#### 11. SURFACE OWNERSHIP

Access road: <u>Tribal</u> Location: <u>Tribal</u>

#### 12. OTHER INFORMATION

- A. EOG Resources, Inc. will inform all persons in the area who are associated with this project that they are subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, the operator will immediately stop work that might further disturb such materials, and contact the AO. Within five working days the AO will inform the operator as to:
  - whether the materials appear eligible for the National Register of Historic Places;
  - the mitigation measures the operator will likely have to undertake before the site can be used.
  - a time frame for the AO to complete an expedited review under 36 CFR 800.11 to confirm, through the State Historic Preservation Officer, that the findings of the AO are correct and that mitigation is appropriate.

If the operator wished, at any time, to relocate activities to avoid the expense of mitigation and/or the delays associated with this process, the AO will assume responsibility for whatever recordation and stabilization of the exposed materials that may be required. Otherwise, the operator will be responsible for mitigation costs.

The AO will provide technical and procedural guidelines for the conduct of mitigation. Upon verification from the AO that required mitigation has been completed, the operator will then be allowed to resume construction.

- B. As operator, EOG Resources, Inc. will control noxious weeds along Right-of-Ways for roads, pipelines, well sites, or other applicable facilities. A list of noxious weeds will be obtained from the BIA, or the appropriate County Extension Office. On BIA administered land, a Pesticide Use proposal shall be submitted, and given approval, prior to the application of herbicides or other pesticides or possible hazardous chemicals.
- C. The drilling rig and ancillary equipment will be removed from the location prior to commencement of completion operations. Completion operations will be conducted utilizing a completion/workover rig.
- D. Drilling rigs and/or equipment used during drilling operations on this well site will not be stacked or stored on Tribal Lands after the conclusion of drilling operations or at any other time without BIA authorization. However, if BIA authorization is obtained, it is only a temporary measure to allow time to make arrangements for permanent storage on commercial facilities. (The BIA does not seek to compete with private industry. There are commercial facilities available for stacking and storing drilling rigs.)

#### Additional Surface Stipulations

"Trucks Entering Highway" signs will be placed on the County road on each side of the approach into this location.

#### LESSEE'S OR OPERATOR'S REPRESENTATIVE AND CERTIFICATION

#### **PERMITTING AGENT**

Ed Trotter P.O. Box 1910 Vernal, UT 84078 Telephone: (435)789-4120

Fax: (435)789-1420

#### **DRILLING OPERATIONS**

Donald Presenkowski EOG Resources, Inc.

P.O. Box 250

Big Piney, WY 83113

Telephone: (307)276-4865

All lease or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approval plan of operations, and any applicable Notice to Lessees. EOG Resources, Inc. is fully responsible for the actions of their subcontractors. A copy of these conditions will be furnished to the field representative to insure compliance.

A copy of the approved APD and ROW grant, if applicable, shall be on location during construction of the location and drilling activities.

The BIA office shall be notified upon site completion prior to moving on the drilling rig.

#### Certification

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions that presently exist; that the statements made in the Plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by EOG Resources, Inc. and its contractors and subcontractors in conformity with this Plan and the terms and conditions under which it is approved.

Please be advised that EOG Resources, Inc. is considered to be the operator of the North Chapita 290-28 Well, located in the NE/NW of Section 28, T8S, R22E, Uintah County, Utah; Lease #U-059; and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond Coverage is provided under Bond #NM 2308.

9-2-2005 Date

Agent Agent

### EOG RESOURCES, INC NORTH CHAPITA #290-28 SECTION 28, T8S, R22E, S.L.B.&M.

PROCEED IN AN EASTERLY, THEN SOUTHERLY DIRECTION FROM VERNAL, UTAH ALONG U.S. HIGHWAY 40 APPROXIMATELY 3.9 MILES TO THE JUNCTION OF STATE HIGHWAY 45; EXIT RIGHT AND PROCEED IN A SOUTHERLY, THEN SOUTHEASTERLY DIRECTION APPROXIMATELY 19.2 MILES ON STATE HIGHWAY 45 TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHWEST; TURN RIGHT AND PROCEED IN A SOUTHWESTERLY, THEN SOUTHERLY, THEN SOUTHWESTERLY DIRECTION APPROXIMATELY 10.0 MILES TO THE BEGINNING OF THE PROPOSED ACCESS TO THE NORTHWEST; FOLLOW ROAD **FLAGS** NORTHWESTERLY, THEN SOUTHWESTERLY DIRECTION APPROXIMATELY 0.1 MILES TO THE PROPOSED LOCATION.

TOTAL DISTANCE FROM VERNAL, UTAH TO THE PROPOSED WELL LOCATION IS APPROXIMATELY 33.2 MILES.

## EOG RESOURCES, INC.

NORTH CHAPITA #290-28 LOCATED IN UINTAH COUNTY, UTAH **SECTION 28, T8S, R22E, S.L.B.&M.** 




PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKE

CAMERA ANGLE: SOUTHEASTERLY



PHOTO: VIEW FROM BEGINNING OF PROPOSED ACCESS

CAMERA ANGLE: NORTHERLY





Uintah Engineering & Land Surveying 85 South 200 East Vernal, Utah 84078 435-789-1017 uels@uelsinc.com


LOCATION PHOTOS


TAKEN BY: J.F. | DRAWN BY: L.K. | REVISED: 00-00-00


РНОТО















APD RECEIVED: 09/13/2005	API NO. ASSIGNED: 43-047-37133
WELL NAME: N CHAPITA 290-28  OPERATOR: EOG RESOURCES INC ( N9550 )  CONTACT: ED TROTTER  PROPOSED LOCATION:  NENW 28 080S 220E  SURFACE: 0468 FNL 2022 FWL  BOTTOM: 0468 FNL 2022 FWL  UINTAH  NATURAL BUTTES ( 630 )  LEASE TYPE: 1 - Federal  LEASE NUMBER: U-959  SURFACE OWNER: 2 - Indian  PROPOSED FORMATION: PRRV  COALBED METHANE WELL? NO	PHONE NUMBER: 435-789-4120  INSPECT LOCATN BY: / /  Tech Review Initials Date  Engineering Geology Surface  LATITUDE: 40.10057  LONGITUDE: -109.4466
RECEIVED AND/OR REVIEWED:  Plat  Bond: Fed[1] Ind[] Sta[] Fee[]  (No. NM-2308 )  Potash (Y/N)  Oil Shale 190-5 (B) or 190-3 or 190-13  Water Permit  (No. 49-1501 )  RDCC Review (Y/N)  (Date: )  NM Fee Surf Agreement (Y/N)  NM Intent to Commingle (Y/N)	LOCATION AND SITING:  R649-2-3.  Unit  R649-3-2. General
STIPULATIONS:  1. declare approve (2. Spacing One)	





State of Utah

Department of Natural Resources

MICHAEL R. STYLER Executive Director

Division of Oil, Gas & Mining

JOHN R. BAZA
Division Director

JON M. HUNTSMAN, JR. Governor

GARY R. HERBERT Lieutenant Governor

September 19, 2005

EOG Resources, Inc. P O Box 1815 Vernal, UT 84078

Re:

North Chapita 290-28 Well, 468' FNL, 2022' FWL, NE NW, Sec. 28,

T. 8 South, R. 22 East, Uintah County, Utah

#### Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-37133.

Sincerely,

Gil Hunt

**Associate Director** 

pab Enclosures

cc:

**Uintah County Assessor** 

Bureau of Land Management, Vernal District Office

Operator:	EOG Resource	s, Inc.	
Well Name & Number	North Chapita	290-28	
API Number:	43-047-37133		
Lease:	U-959		
Location: NE NW	Sec. 28	T. 8 South	R. 22 East

#### **Conditions of Approval**

#### 1. General

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

#### 2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

• Contact Dan Jarvis at (801) 538-5338

#### 3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

- 4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.
- 5. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

#### STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS  Do not use the form for programs is until now wells, significantly design accepting with the control of programs is until now wells, significantly design accepting the control in	DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER:
Do not use his form for proposate to dell new walls, spinifacting design awards, and be also cared about the deligation of periphology and in the proposate.  1. TYPE OF WELL  OIL WELL  OR SOUTCHS, Inc.  2. TABLE OF OPERATOR.  OF OF PERMIT OF SILL SEND OF PERMIT OF SILL SEND OF THE WALL SEND OF THE WALL SEND OF PERMIT OF SILL SEND OF SILL SEN	SUNDRY NOTICES AND REPORTS ON WELLS	Ute Indian Tribe
OIL WELL GAS WELL OTHER STATE ON THE COPERATOR S. ANNUARS OF COPERATOR S. ANNUARS SECON CONTROL OF SECON CON	Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	to
A DORANGE OF PRIOR OF WELL  FOOTAGES AT SURFACE: 468' FNL & 2022' FWL 40.100600 LAT 109.447297 LON  COUNTY: Uintah  OTROTR, SECTION, TOWNSHAP, RANGE, MERIDIAN NENW 28 8S 22E S  STATE:  UTAH  11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  TYPE OF SUBMISSION  NOTICE OF INTENT Guiner in Diclinate  Approximate data work will start:  CASHOR GREAK  Approved by with start:  Guiner in Diclinate  Subseculent REPORT Guiner in Dictionate  CHANGE TURING  PULG AND ABANDON  CHANGE TURING CHANGE FURING  CHANGE FURING CHANGE WELL STATUS CHANGE WENT OF WEAR WERE OBJECT OF WERE TOWNSHAP WATER OBSOSAL WATER OBJECT WERE OBJECT WERE OBJECT WERE OBJECT WATER O	1. TYPE OF WELL OIL WELL GAS WELL 🗸 OTHER	
3. ADDRESS OF OPERATOR: 600 17th St., Iss 1000000 pp. Deriver 600 17th St., Iss 100000 pp. Deriver 600 17th St., Iss 1000000 pp. Deriver 600 17th St., Iss 1000000 pp. Deriver 600 17th St., Iss 1000000 pp. Deriver 600 17th St., Iss 10000000 pp. Deriver 600 17th St., Iss 1000000000 pp. Deriver 600 17th St., Iss 10000000000000000000000000000000000		
4. LOCATION OF WELL  4. LOCATION OF WELL  5. LOCATION OF WELL  6. LOCATION OF SUBMISSION  6. LOCATION OF WELL  6. LOCATION  6. LOCATION OF WELL  6. LOCATION		
FOOTAGES AT SURFACE: 468" FNL & 2022" FWL 40.100600 LAT 109.447297 LON  COUNTY: Ulintah  OTRICITE, SECTION, TOWNSHIP, RANGE, MERIDIAN: NENW 28 8S 22E S  STATE: UTAH  11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  TYPE OF SUBMISSION  TYPE OF ACTION  NOTICE OF INTENT (Submit in Duplicable)  Approximate data work will start:  CASING REPARR  CHANGE TUBING  CHANGE TO PREVIOUS PLANS  CHANGE TUBING  CHANGE TO PREVIOUS PLANS  CHANGE WELL STATUS  PROCUPTION (START/RESUME)  CHANGE WELL STATUS  PROCUPTION (START/RESUME)  CHANGE WELL STATUS  PROCOMPLETE DIFFERENT FORMATION  12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  EOG Resources, Inc. requests the APD for the referenced well originally approved 9/19/2005 be extended for one year.  Approved by the Utah Division of Oil, Gas and Mining  RECEIVED  OCT 0 3 2006  DIV. OF OIL, GAS & MINING  NAME (PLEASE PRINT)  MANY A. Maestas  TILE  Regulatory Assistant  MANY A. Maestas  TILE  Regulatory Assistant		Natural Buttes/Mesaverde
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  TYPE OF SUBMISSION  TYPE OF ACTION  TYPE OF ACTION    ACIDIZE		соилту: <b>Uintah</b>
TYPE OF SUBMISSION    ACIDIZE	QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: NENW 28 8S 22E S	
NOTICE OF INTENT   ACIDIZE   DEEPEN   REPERFORATE CURRENT FORMATION	11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, RE	PORT, OR OTHER DATA
ONTICE OF INTENT (Submit Duplication)   ALTER CASING   FRACTURE TREAT   SIDETRACK TO REPAIR WELL SUBMIT OF PREVIOUS PLANS   OPERATOR CHANGE   TUBING REPAIR   ONE W CONSTRUCTION   TEMPORARILY ABANDON   TUBING REPAIR   ONE W CONSTRUCTION   TEMPORARILY ABANDON   ONE PLUB AND	TYPE OF SUBMISSION TYPE OF ACTION	
Approximate date work will start:    Cashing Repair   Cas		
CHANGE TO PREVIOUS PLANS   OPERATOR CHANGE   TUBING REPAIR	(Submit in Duplicate) ALTER CASING FRACTURE TREAT	<b>=</b>
SUBSEQUENT REPORT    CHANGE WELL NAME		
SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: CHANGE WELL STATUS CHANGE WELL STATUS CHANGE WELL STATUS COMMINGLE PRODUCTION (START/RESUME) COMMINGLE		
Common Original Form Only   Chance Well STATUS   PRODUCTION (START/RESUME)   WATER SHUT-OFF   COMMINGLE PRODUCING FORMATIONS   RECLAMATION OF WELL SITE   OTHER: APD Renewal   RECOMPLETE OF COMMINGLE PRODUCING FORMATION   RECLAMATION OF WELL SITE   OTHER: APD Renewal   RECOMPLETE OF COMMINGLE PRODUCING FORMATION   RECLAMATION OF WELL SITE   OTHER: APD Renewal   OTHER: APD Renewal   RECOMPLETE OF COMMINGLE PRODUCING FORMATION   RECLAMATION OF WELL SITE   OTHER: APD Renewal   OTHER: APD Renewal   RECOMPLETE OF COMMINGLE PRODUCING FORMATION   RECLAMATION OF WELL SITE   OTHER: APD Renewal   OT		<u> </u>
Date:    Describe of work completion:   Commingle Producing Formations   Reclamation of Well site   Convert Well Type   Recomplete-Different Formation   Recomplete-Different Formation   Convert Well Type   Convert Well Type   Recomplete-Different Formation   Recomplete-Different Formation   Convert Well Type   Convert Well Typ	(Submit Original Form Only)	<u> </u>
DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  EOG Resources, Inc. requests the APD for the referenced well originally approved 9/19/2005 be extended for one year.  Approved by the Utah Division of Oil, Gas and Mining  Pin  Date: 10-05-04  By: DIV. OF OIL, GAS & MINING  NAME (PLEASE PRINT) Mary A. Maestas  TITLE Regulatory Assistant  10/2/2006	Date of work completion:	
DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  EOG Resources, Inc. requests the APD for the referenced well originally approved 9/19/2005 be extended for one year.  Approved by the Utah Division of Oil, Gas and Mining  Part Date:  Date:  Do - 05 - 04 DIV. OF OIL, GAS & MINING  NAME (PLEASE PRINT) Mary A. Maestas  TITLE Regulatory Assistant  10/2/2006		
Approved by the Utah Division of Oil, Gas and Mining  Par  Date:    D-05-04		
Approved by the Utah Division of Oil, Gas and Mining  RECEIVED  OCT 0 3 2006  DIV. OF OIL, GAS & MINING  NAME (PLEASE PRINT)  Mary A. Maestas  TITLE  Regulatory Assistant  10/2/2006	12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly snow all pertinent details including dates, deputs, vi	Julies, etc.
Utah Division of Oil, Gas and Mining  RECEIVED  OCT 0 3 2006  DIV. OF OIL, GAS & MINING  NAME (PLEASE PRINT) Mary A. Maestas  TITLE Regulatory Assistant  10/2/2006	EOG Resources, Inc. requests the APD for the referenced well originally approved 9/19/	2005 be extended for one year.
Utah Division of Oil, Gas and Mining  RECEIVED  OCT 0 3 2006  DIV. OF OIL, GAS & MINING  NAME (PLEASE PRINT) Mary A. Maestas  TITLE Regulatory Assistant  10/2/2006	Approved by the	
Date: 10-05-06 DIV. OF OIL, GAS & MINING  NAME (PLEASE PRINT) Mary A. Maestas  TITLE Regulatory Assistant  10/2/2006	Utah Division of	
DIV. OF OIL, GAS & MINING  NAME (PLEASE PRINT) Mary A. Maestas  TITLE Regulatory Assistant  10/2/2006		RECEIVED
DIV. OF OIL, GAS & MINING  NAME (PLEASE PRINT) Mary A. Maestas  TITLE Regulatory Assistant  10/2/2006	- IN 25-No 1	OCT 0 3 200c
NAME (PLEASE PRINT) Mary A. Maestas  TITLE Regulatory Assistant  10/2/2006	Date: 10-05-04	
MAME (PLEASE PRINT) 10/2/2006	10.10.04 By:	DIV. OF OIL, GAS & MINING
MAME (PLEASE PRINT) 10/2/2006		- cisto nt
SIGNATURE Mary Q. Mayla DATE 10/2/2006	NAME (PLEASE PRINT) Mary A. Maestas TITLE Hegulatory A	ssistarit
	SIGNATURE Mary Q. Marton DATE 10/2/2006	

(This space for State use only)

# Application for Permit to Drill Request for Permit Extension Validation (this form should accompany the Sundry Notice requesting permit extension)

API: 43-047-37133 Well Name: North Chapita 290-28 Location: 468 FNL 2022 FWL (NENW), SECTION 28, T8 Company Permit Issued to: EOG RESOURCES, INC. Date Original Permit Issued: 9/19/2005	3S, R22E S.L.B.&M
The undersigned as owner with legal rights to drill on above, hereby verifies that the information as submitt approved application to drill, remains valid and does in	ed in the previously
Following is a checklist of some items related to the a verified.	pplication, which should be
If located on private land, has the ownership changed agreement been updated? Yes□No□	d, if so, has the surface
Have any wells been drilled in the vicinity of the properthe spacing or siting requirements for this location? Y	osed well which would affect ′es⊟No⊠
Has there been any unit or other agreements put in p permitting or operation of this proposed well? Yes□!	lace that could affect the No☑
Have there been any changes to the access route incof-way, which could affect the proposed location? Ye	cluding ownership, or right- s⊡No ☑
Has the approved source of water for drilling change	d? Yes□No☑
Have there been any physical changes to the surface which will require a change in plans from what was devaluation? Yes□No☑	e location or access route iscussed at the onsite
Is bonding still in place, which covers this proposed v	well? Yes☑No□
Mary a. Maryan_ Signature	10/2/2006 Date
Title: REGULATORY ASSISTANT	
Representing: EOG RESOURCES, INC.	_ RECEIVED

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER: U-059
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Ute Indian Tribe
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER: North Chapita 290-28
2. NAME OF OPERATOR: EOG Resources, Inc.	9. API NUMBER: 43-047-37133
3. ADDRESS OF OPERATOR: 1060 East Highway 40 CITY Vernal STATE UT ZIP 84078 PHONE NUMBER: (435) 781-9111	10. FIELD AND POOL, OR WLDCAT: Natural Buttes/Mesaverde
4. LOCATION OF WELL FOOTAGES AT SURFACE: 468' FNL & 2022' FWL 40.100600 LAT 109.447297 LON	COUNTY: <b>Uintah</b>
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: NENW 28 8S 22E S	STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	<del>i</del> ,
TYPE OF SUBMISSION TYPE OF ACTION	
NOTICE OF INTENT	REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	SIDETRACK TO REPAIR WELL
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON
CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR
CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK (Submit Original Form Only)	WATER DISPOSAL
CHANGE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF
Date of work completion:  COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	OTHER: APD Renewal
CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION	
DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volume  EOG Resources, Inc. requests the APD for the referenced well originally approved 9/19/200  Approved by the Utah Division of Oil, Gas and Mining  Date:	
PM By:	Assistant
9/25/2007	

(This space for State use only)

RECEIVED SEP 2 7 2007

#### Application for Permit to Drill Request for Permit Extension Validation

Validation (this form should accompany the Sundry Notice requesting permit extension)

API:

43-047-37133

Well Name: North Chapita 290-28
Location: 468 FNL 2022 FWL (NENW), SECTION 28, T8S, R22E S.L.B.&M
Company Permit Issued to: EOG RESOURCES, INC.
Date Original Permit Issued: 9/19/2005
The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.
Following is a checklist of some items related to the application, which should be verified.
If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes□No□
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes☐ No☑
Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes□No☑
Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes□No☑
Has the approved source of water for drilling changed? Yes□No☑
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes□No☑
Is bonding still in place, which covers this proposed well? Yes ☑ No ☐
9/25/2007
Signature Date
Title: Lead Regulatory Assistant
Representing: EOG Resources, Inc.

RECEIVED SEP 2 7 2007

#### STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER:
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:     Ute Indian Tribe      7. UNIT or CA AGREEMENT NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT OF CA AGREEMENT NAME.
1. TYPE OF WELL OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER: North Chapita 290-28
2. NAME OF OPERATOR: EOG Resources, Inc.	9. API NUMBER: 43-047-37133
3. ADDRESS OF OPERATOR: PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:
1060 East Highway 40 Vernal UT 84078 (435) 781-9111	Natural Buttes/Mesaverde
4. LOCATION OF WELL FOOTAGES AT SURFACE: 468' FNL & 2022' FWL 40.100600 LAT 109.447297 LON	COUNTY: <b>Uintah</b>
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: NENW 28 8S 22E S	STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION TYPE OF ACTION	
✓ NOTICE OF INTENT ☐ ACIDIZE ☐ DEEPEN	REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	SIDETRACK TO REPAIR WELL
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON
CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR
CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK (Submit Original Form Only)	WATER DISPOSAL
Date of work completion:  CHANGE WELL STATUS  PRODUCTION (START/RESUME)	WATER SHUT-OFF
COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	✓ other: APD Renewal
CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION	
EOG Resources, Inc. requests the APD for the referenced well originally approved 9/19/200  Approved by the Utah Division of Oil, Gas and Mining	5 be extended for one year.
Date: 10-13-05	COPY SENT TO OPERATOR  Date: 10.14.2008  Initials: 45
NAME (PLEASE PRINT) Mickenzie Thacker 71TLE Operations Clerk	

(This space for State use only)

RECEIVED OCT 0 2 2008

#### Application for Permit to Drill Request for Permit Extension Validation

Validation
(this form should accompany the Sundry Notice requesting permit extension)

API:

43-047-37133

Well Name: North Chapita 290-28  Location: 468 FNL 2022 FWL (NENW), SECTION 28, T8S, R22E S.L.B.&M  Company Permit Issued to: EOG RESOURCES, INC.  Date Original Permit Issued: 9/19/2005				
The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.				
Following is a checklist of some items related to the application, which should be verified.				
If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes □ No □				
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes□No☑				
Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes□No☑				
Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes□No ☑				
Has the approved source of water for drilling changed? Yes□No☑				
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes□No☑				
Is bonding still in place, which covers this proposed well? Yes ☑No□				
Michini Tracle () 9/30/2008				
Signature Date				
Title: Operations Clerk				
Representing: EOG Resources, Inc.				

RECEIVED OCT 0 2 2008

STATE OF UTAH		FORM 9		
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: U-959	
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE	
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			7.UNIT or CA AGREEMENT NAME:	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: N CHAPITA 290-28	
2. NAME OF OPERATOR: EOG Resources, Inc.	<b>9. API NUMBER:</b> 43047371330000			
3. ADDRESS OF OPERATOR: PHONE NUMBER: 1060 East Highway 40 , Vernal, UT, 84078 435 781-9111 Ext			9. FIELD and POOL or WILDCAT: NATURAL BUTTES	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0468 FNL 2022 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NENW Section: 28 Township: 08.0S Range: 22.0E Meridian: S			COUNTY: UINTAH	
			STATE: UTAH	
CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA				
TYPE OF SUBMISSION	TYPE OF ACTION			
✓ NOTICE OF INTENT	ACIDIZE	ALTER CASING	CASING REPAIR	
Approximate date work will start:  10/9/2009	☐ CHANGE TO PREVIOUS PLANS ☐ CHANGE WELL STATUS	☐ CHANGE TUBING ☐ COMMINGLE PRODUCING FORMATIONS	CHANGE WELL NAME CONVERT WELL TYPE	
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	□ NEW CONSTRUCTION	
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	☐ PLUG BACK	
SPUD REPORT Date of Spud:	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON	
	☐ TUBING REPAIR ☐ WATER SHUTOFF		WATER DISPOSAL	
DRILLING REPORT Report Date:			✓ APD EXTENSION	
		OTHER	OTHER:	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  EOG Resources, Inc. respectfully requests the APD for the referenced well be  extended for one year.  Oil, Gas and Mining				
Date: October 12, 2009  By:				
NAME (PLEASE PRINT) Mickenzie Gates	<b>PHONE NUMBER</b> 435 781-9145	TITLE Operations Clerk		
SIGNATURE N/A		DATE 10/9/2009		



## The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

## Request for Permit Extension Validation Well Number 43047371330000

**API:** 43047371330000 **Well Name:** N CHAPITA 290-28

Location: 0468 FNL 2022 FWL QTR NENW SEC 28 TWNP 080S RNG 220E MER S

Company Permit Issued to: EOG RESOURCES, INC.

**Date Original Permit Issued:** 9/19/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

require revi	sion. Following is a che	klist of some it	ems related to the	e application, w	hich should be verified.
	ated on private land, ha ed? 问 Yes 📵 No	s the ownership	changed, if so, h	as the surface a	ngreement been
	any wells been drilled in requirements for this lo			l which would a	iffect the spacing or
	here been any unit or ot s proposed well? 📋 Y		put in place that	could affect the	e permitting or operation
	there been any changes the proposed location?		oute including ow No	nership, or rigl	ntof- way, which could
• Has tl	he approved source of v	ater for drilling	changed? 🔘 Y	es 📵 No	
	there been any physica je in plans from what w				
• Is boı	nding still in place, whic	h covers this pr	oposed well? 📵	Yes 📗 No	Approved by the Utah Division of I, Gas and Mining
Signature:	Mickenzie Gates	<b>Date:</b> 10/9/20	09		
Title:	Operations Clerk Repres	enting: EOG RES	SOURCES, INC.		October 12, 2009
				D	00 64 00

By: Dodg

	STATE OF UTAH DEPARTMENT OF NATURAL RESOURCE		FORM 9
	5.LEASE DESIGNATION AND SERIAL NUMBER: U-959		
SUND	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE	
	sals to drill new wells, significantly deepen igged wells, or to drill horizontal laterals. U		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: N CHAPITA 290-28
2. NAME OF OPERATOR: EOG Resources, Inc.			9. API NUMBER: 43047371330000
3. ADDRESS OF OPERATOR: 1060 East Highway 40 , Verna	<b>PHO</b> al, UT, 84078 435 781-911	NE NUMBER: 1 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0468 FNL 2022 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI	IP, RANGE, MERIDIAN: Township: 08.0S Range: 22.0E Meridian:	5	STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	☐ ACIDIZE	☐ ALTER CASING	☐ CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	☐ CHANGE TO PREVIOUS PLANS	☐ CHANGE TUBING	☐ CHANGE WELL NAME
8/26/2010	☐ CHANGE WELL STATUS	☐ COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	☐ DEEPEN	☐ FRACTURE TREAT	☐ NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	☐ PLUG BACK
	☐ PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	☐ RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	☐ REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
	☐ TUBING REPAIR	☐ VENT OR FLARE	☐ WATER DISPOSAL
☐ DRILLING REPORT	☐ WATER SHUTOFF	☐ SI TA STATUS EXTENSION	✓ APD EXTENSION
Report Date:	☐ WILDCAT WELL DETERMINATION	OTHER	OTHER:
l .	respectfully requests the APD extended for one year.	for the referenced well be	
NAME (PLEASE PRINT) Michelle Robles	<b>PHONE NUMBER</b> 307 276-4842	TITLE Regulatory Assistant	
SIGNATURE	* *	DATE 8/26/2010	



## The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

# Request for Permit Extension Validation Well Number 43047371330000

**API:** 43047371330000 Well Name: N CHAPITA 290-28

Location: 0468 FNL 2022 FWL QTR NENW SEC 28 TWNP 080S RNG 220E MER S

Company Permit Issued to: EOG RESOURCES, INC.

**Date Original Permit Issued:** 9/19/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that req

informat uire revis	tion as submitted in the sion. Following is a chec	previously klist of so	ne items rela	pplication to dated to the ap	drill, rema oplication,	ins valid and does not which should be verified.
	nted on private land, has ed? 📗 Yes 🃵 No	the owne	rship change	ed, if so, has t	:he surfac	e agreement been
	any wells been drilled in requirements for this lo			posed well wh No	hich would	d affect the spacing or
	nere been any unit or ot proposed well?		nents put in	place that cou	uld affect	the permitting or operatio
	there been any changes the proposed location?			luding owner	ship, or ri	ghtof- way, which could
• Has th	ne approved source of w	ater for dr	illing change	d? 🔵 Yes	No	
	there been any physical e in plans from what wa					
• Is bor	nding still in place, whic	h covers th	is proposed	well? 🌘 Ye		Approved by the Utah Division of Dil, Gas and Mining
nature:	Michelle Robles	Date:	8/26/2010			
Title:	Regulatory Assistant Rep	resenting:	EOG RESOUR	RCES, INC.	Date	August 31, 2010
		_			<b>D</b> 1	ROCCIN

Sig

Sundry Number: 18415 API Well Number: 43047371330000

STATE OF UTAH  DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING  SUNDRY NOTICES AND REPORTS ON WELLS  6. IF INDIAN, ALLOTTEE OR TRIBE NATURE.	FORM 9 UMBER:					
SUNDER NOTICES AND DEPORTS ON WELLS  6. IF INDIAN, ALLOTTEE OR TRIBE NA	UMBER:					
I	ME:					
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.  7.UNIT or CA AGREEMENT NAME:						
1. TYPE OF WELL Gas Well  8. WELL NAME and NUMBER: N CHAPITA 290-28						
2. NAME OF OPERATOR: EOG Resources, Inc.  9. API NUMBER: 43047371330000						
3. ADDRESS OF OPERATOR: PHONE NUMBER: 9. FIELD and POOL or WILDCAT: NATURAL BUTTES						
4. LOCATION OF WELL FOOTAGES AT SURFACE: UINTAH						
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NENW Section: 28 Township: 08.0S Range: 22.0E Meridian: S  UTAH						
CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA						
TYPE OF SUBMISSION TYPE OF ACTION						
☐ ACIDIZE ☐ ALTER CASING ☐ CASING REPAIR						
NOTICE OF INTENT Approximate date work will start:  □ CHANGE TO PREVIOUS PLANS □ CHANGE TUBING □ CHANGE WELL NAME						
9/12/2011 CHANGE WELL STATUS COMMINGLE PRODUCING FORMATIONS CONVERT WELL TYPE						
□ SUBSEQUENT REPORT □ DEEPEN □ FRACTURE TREAT □ NEW CONSTRUCTION  Date of Work Completion: □ □ DEEPEN □ DATE OF WORK COMPLETION □ DATE OF WORK COMP						
OPERATOR CHANGE UPLUG AND ABANDON UPLUG BACK						
☐ SPUD REPORT ☐ PRODUCTION START OR RESUME ☐ RECLAMATION OF WELL SITE ☐ RECOMPLETE DIFFERENT FORMATION OF WELL SI	ON					
Date of Spud: REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL TEMPORARY ABANDON						
U TUBING REPAIR U VENT OR FLARE U WATER DISPOSAL  □ DETILING DEPORT □ WATER SHUTOFF □ SI TA STATUS EXTENSION ✓ APD EXTENSION						
Report Date:						
WILDCAT WELL DETERMINATION UTHER OTHER:						
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  EOG Resources, Inc. respectfully requests the APD for the referenced well be						
extended for one year.						
Approved by the Utah Division of						
Otan Division of Oil, Gas and Mining						
_						
Date: 09/14/2011						
						BA: Treather
NAME (PLEASE PRINT) Michelle Robles PHONE NUMBER Regulatory Assistant Regulatory Assistant						
SIGNATURE DATE 9/12/2011						

Sundry Number: 18415 API Well Number: 43047371330000



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047371330000

**API:** 43047371330000 **Well Name:** N CHAPITA 290-28

Location: 0468 FNL 2022 FWL QTR NENW SEC 28 TWNP 080S RNG 220E MER S

Company Permit Issued to: EOG RESOURCES, INC.

**Date Original Permit Issued:** 9/19/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
<ul> <li>Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?</li> <li>Yes</li> <li>No</li> </ul>
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?  Yes No
<ul> <li>Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?</li> <li>Yes</li> <li>No</li> </ul>
• Has the approved source of water for drilling changed?   Yes  No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well? 📵 Yes 🔵 No

**Signature:** Michelle Robles **Date:** 9/12/2011

**Title:** Regulatory Assistant **Representing:** EOG RESOURCES, INC.

**Sundry Number: 28898 API Well Number: 43047371330000** 

	FORM 9		
ι	5.LEASE DESIGNATION AND SERIAL NUMBER: U-959		
SUNDR	Y NOTICES AND REPORTS ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE
	posals to drill new wells, significantly deepreenter plugged wells, or to drill horizontal nor such proposals.		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: N CHAPITA 290-28
2. NAME OF OPERATOR: EOG Resources, Inc.			9. API NUMBER: 43047371330000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000		<b>DNE NUMBER:</b> 35 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0468 FNL 2022 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NENW Section: 2	IIP, RANGE, MERIDIAN: 28 Township: 08.0S Range: 22.0E Meridian:	: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICATE N	IATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	CHANGE TO PREVIOUS PLANS  CHANGE WELL STATUS  DEEPEN  OPERATOR CHANGE  PRODUCTION START OR RESUME  REPERFORATE CURRENT FORMATION  TUBING REPAIR  WATER SHUTOFF	D for the referenced	CASING REPAIR  CHANGE WELL NAME  CONVERT WELL TYPE  NEW CONSTRUCTION  PLUG BACK  RECOMPLETE DIFFERENT FORMATION  TEMPORARY ABANDON  WATER DISPOSAL  ✓ APD EXTENSION  OTHER:  PLUG BACK  RECOMPLETE DIFFERENT FORMATION  TEMPORARY ABANDON  WATER DISPOSAL  ✓ APD EXTENSION  OTHER:  PEPTHS, VOLUMES, etc.  Approved by the Utah Division of Oil, Gas and Mining  Date: August 28, 2012  By:
NAME (PLEASE PRINT)	PHONE NUMBER	TITLE St. Bogulatory Assistant	
Vail Nazzaro SIGNATURE N/A	303 824-5590	Sr. Regulatory Assistant  DATE 8/14/2012	

Sundry Number: 28898 API Well Number: 43047371330000



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

### Request for Permit Extension Validation Well Number 43047371330000

**API:** 43047371330000 **Well Name:** N CHAPITA 290-28

Location: 0468 FNL 2022 FWL QTR NENW SEC 28 TWNP 080S RNG 220E MER S

Company Permit Issued to: EOG RESOURCES, INC.

Date Original Permit Issued: 9/19/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated?  Yes  No
<ul> <li>Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?</li> <li>Yes</li> <li>No</li> </ul>
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
<ul> <li>Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?</li> <li>Yes</li> <li>No</li> </ul>
• Has the approved source of water for drilling changed? 🔘 Yes 📵 No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well?   Yes   No

Signature: Vail Nazzaro Date: 8/14/2012

Title: Sr. Regulatory Assistant Representing: EOG RESOURCES, INC.

Sundry Number: 41851 API Well Number: 43047371330000

	FORM 9		
ι	5.LEASE DESIGNATION AND SERIAL NUMBER: U-959		
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE		
	posals to drill new wells, significantly d reenter plugged wells, or to drill horizon n for such proposals.		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: N CHAPITA 290-28
2. NAME OF OPERATOR: EOG Resources, Inc.			9. API NUMBER: 43047371330000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000		PHONE NUMBER: 435 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0468 FNL 2022 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 28 Township: 08.0S Range: 22.0E Merid	ian: S	STATE: UTAH
11. CHECK	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
7	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
8/29/2013	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
Report Date:	WILDCAT WELL DETERMINATION	OTHER	OTHER:
12 DESCRIBE PROPOSED OR	COMPLETED OPERATIONS. Clearly show a	U portinent details including dates	donths volumes atc
	nc. respectfully requests the $A$		Approved by the
	well be extended for one ye		Utah Division of Oil, Gas and Mining
			Date: September 10, 2013
			Date: September 10, 2013
			By:
NAME (PLEASE PRINT)	PHONE NUMBE		
Vail Nazzaro	303 824-5590	Sr. Regulatory Assistant	
SIGNATURE N/A		<b>DATE</b> 8/29/2013	

Sundry Number: 41851 API Well Number: 43047371330000



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047371330000

**API:** 43047371330000 **Well Name:** N CHAPITA 290-28

Location: 0468 FNL 2022 FWL QTR NENW SEC 28 TWNP 080S RNG 220E MER S

Company Permit Issued to: EOG RESOURCES, INC.

**Date Original Permit Issued: 9/19/2005** 

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated?  Yes  No
<ul> <li>Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?</li> <li>Yes</li> <li>No</li> </ul>
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?  Yes  No
• Has the approved source of water for drilling changed?   Yes  No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well?   Yes   No
Potos 0/00/0040

Signature: Vail Nazzaro Date: 8/29/2013

Title: Sr. Regulatory Assistant Representing: EOG RESOURCES, INC.

Sundry Number: 55192 API Well Number: 43047371330000

	FORM 9		
ı	5.LEASE DESIGNATION AND SERIAL NUMBER: U-959		
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE		
	posals to drill new wells, significantly de reenter plugged wells, or to drill horizont n for such proposals.		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: N CHAPITA 290-28
2. NAME OF OPERATOR: EOG RESOURCES, INC.			9. API NUMBER: 43047371330000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000		PHONE NUMBER: 435 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0468 FNL 2022 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HP, RANGE, MERIDIAN: 28 Township: 08.0S Range: 22.0E Meridia	an: S	STATE: UTAH
11. CHECK	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
9/4/2014	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
Report Date:	WILDCAT WELL DETERMINATION		OTHER
		OTHER	OTHER:
	COMPLETED OPERATIONS. Clearly show all TC. respectfully requests the A		Approved by the
LOO Nesources, ii	well be extended for one year		Useptember 04, f2014
	won be extended for one year		Oil, Gas and Mining
			Date:
			Ol 112500 8
			By:
NAME (PLEASE PRINT)	PHONE NUMBER		
Donna J Skinner	303 262-9467	Sr. Regulatory Assistant	
SIGNATURE N/A		<b>DATE</b> 9/4/2014	

Sundry Number: 55192 API Well Number: 43047371330000



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047371330000

**API:** 43047371330000 **Well Name:** N CHAPITA 290-28

Location: 0468 FNL 2022 FWL QTR NENW SEC 28 TWNP 080S RNG 220E MER S

Company Permit Issued to: EOG RESOURCES, INC.

**Date Original Permit Issued: 9/19/2005** 

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated?  Yes  No
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?       Yes       No
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?  Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? ( Yes ( No
• Has the approved source of water for drilling changed? 🦳 Yes 🌘 No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well?   Yes   No
natura. Danna I Skinnar Data. 0/4/2014

Signature: Donna J Skinner Date: 9/4/2014

Title: Sr. Regulatory Assistant Representing: EOG RESOURCES, INC.

Sundry Number: 66655 API Well Number: 43047371330000

				FORM 9		
	5.LEASE DESIGNATION AND SERIAL NUMBER: U-959					
SUNDRY NOTICES AND REPORTS ON WELLS				6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE		
	oposals to drill new wells, significant reenter plugged wells, or to drill hori n for such proposals.			7.UNIT or CA AGREEMENT NAME:		
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: N CHAPITA 290-28		
2. NAME OF OPERATOR: EOG RESOURCES, INC.				<b>9. API NUMBER:</b> 43047371330000		
3. ADDRESS OF OPERATOR: 1060 East Highway 40, Ve	ernal, UT, 84078 43		DNE NUMBER: 9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0468 FNL 2022 FWL				COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSI Qtr/Qtr: NENW Section:	HIP, RANGE, MERIDIAN: 28 Township: 08.0S Range: 22.0E M	eridian:	S	STATE: UTAH		
11. CHEC	K APPROPRIATE BOXES TO INDIC	CATE N	ATURE OF NOTICE, REPOR	RT, OR OTHER DATA		
TYPE OF SUBMISSION			TYPE OF ACTION			
	ACIDIZE		ALTER CASING	CASING REPAIR		
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS		CHANGE TUBING	CHANGE WELL NAME		
10/1/2015	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE		
SUBSEQUENT REPORT	DEEPEN		FRACTURE TREAT	NEW CONSTRUCTION		
Date of Work Completion:	OPERATOR CHANGE		PLUG AND ABANDON	PLUG BACK		
	PRODUCTION START OR RESUME		RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION		
SPUD REPORT Date of Spud:	l <u> </u>					
Date of Spud.	REPERFORATE CURRENT FORMATION		SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON		
	TUBING REPAIR		VENT OR FLARE	WATER DISPOSAL		
DRILLING REPORT Report Date:	WATER SHUTOFF	□ :	SI TA STATUS EXTENSION	✓ APD EXTENSION		
	WILDCAT WELL DETERMINATION		OTHER	OTHER:		
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  EOG Resources, Inc. respectfully requests the APD for the referenced well be extended for one year.  Well be extended for one year.  Oil, Gas and Mining						
				By: Dag All		
				<b>Q</b> 0		
NAME (PLEASE PRINT) Kaylene Gardner	<b>PHONE NUI</b> 435 781-9111	MBER	TITLE Regulatory Administrator			
SIGNATURE N/A			<b>DATE</b> 10/1/2015			

Sundry Number: 66655 API Well Number: 43047371330000



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047371330000

API: 43047371330000 Well Name: N CHAPITA 290-28

Location: 0468 FNL 2022 FWL QTR NENW SEC 28 TWNP 080S RNG 220E MER S

Company Permit Issued to: EOG RESOURCES, INC.

**Date Original Permit Issued: 9/19/2005** 

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated?  Yes  No
<ul> <li>Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?</li> <li>Yes</li> <li>No</li> </ul>
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?  Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?  Yes No
• Has the approved source of water for drilling changed?   Yes  No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well?   Yes   No
nature: Kaylene Gardner Date: 10/1/2015

Sig

Title: Regulatory Administrator Representing: EOG RESOURCES, INC.

Sundry Number: 74461 API Well Number: 43047371330000

	FORM 9			
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: U-959	
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE	
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			7.UNIT or CA AGREEMENT NAME:	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: N CHAPITA 290-28	
2. NAME OF OPERATOR: EOG RESOURCES, INC.			9. API NUMBER: 43047371330000	
3. ADDRESS OF OPERATOR:         PHONE NUMBER:           600 17th Street Ste 1000N , Denver, CO, 80202         435 781-9111 Ext			9. FIELD and POOL or WILDCAT: NATURAL BUTTES	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0468 FNL 2022 FWL			COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NENW Section: 28 Township: 08.0S Range: 22.0E Meridian: S			STATE: UTAH	
CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA				
TYPE OF SUBMISSION				
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
9/15/2016	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION	
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK	
SPUD REPORT Date of Spud:	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON	
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL	
DRILLING REPORT	☐ WATER SHUTOFF ☐	SI TA STATUS EXTENSION	✓ APD EXTENSION	
Report Date:	WILDCAT WELL DETERMINATION	OTHER	OTHER:	
12. DESCRIBE PROPOSED OR	COMPLETED OPERATIONS. Clearly show all pe	ertinent details including dates, d	lepths, volumes, etc.	
EOG Resources, Inc. respectfully requests the APD for the referenced  Approved by the				
well be extended for one year. Usept⊕mobeo 20,f2016 Oil, Gas and Mining				
			Date:	
			By: Bacyll	
NAME (PLEASE PRINT) Kaylene Gardner	<b>PHONE NUMBER</b> 435 781-9111	TITLE Regulatory Administrator		
SIGNATURE N/A		<b>DATE</b> 9/15/2016		
13/73		U/10/2010	· · · · · · · · · · · · · · · · · · ·	

Sundry Number: 74461 API Well Number: 43047371330000



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047371330000

API: 43047371330000 Well Name: N CHAPITA 290-28

Location: 0468 FNL 2022 FWL QTR NENW SEC 28 TWNP 080S RNG 220E MER S

Company Permit Issued to: EOG RESOURCES, INC.

**Date Original Permit Issued: 9/19/2005** 

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated?  Yes  No
<ul> <li>Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes</li> <li>No</li> </ul>
<ul> <li>Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?</li> <li>Yes</li> <li>No</li> </ul>
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? ( Yes ( No
• Has the approved source of water for drilling changed? Q Yes (a) No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well?   Yes   No
nature: Kaylene Gardner Date: 9/15/2016

Sig

Title: Regulatory Administrator Representing: EOG RESOURCES, INC.